



2025 FRAGRANT FIELD II CATALOG

0.53 NON-WOVEN / VINYL WALLPAPER

RESIDENCE I COMMERCIAL I RETAIL


VILLA LANTE CATALOG

"Simplicity is the ultimate sophistication," observed Leonardo da Vinci. In this second volume of FRAGRANT FIELD, we reimagine the essence of a blooming field through the lens of modern design. Here, the organic forms of petals, leaves, and stems are deconstructed into a dynamic language of clean lines, bold shapes, and rhythmic patterns. It is not a literal portrait of nature, but an evocative abstraction—a celebration of its underlying order and vibrant energy.

Our forward-looking designs are grounded in responsible production. True to our eco-friendly commitment, all inks used in this collection are formulated without heavy metals such as mercury, cadmium, lead, and chromium. The modern beauty we create is as clean and safe for your home as it is bold.



2025 FRAGRANT FIELD II 1
RED / BLACK / BROWN



2025 FRAGRANT FIELD II 2
BEIGE / GREY / BROWN



2025 FRAGRANT FIELD II 3
PURPLE / BEIGE / PINK



2025 FRAGRANT FIELD II 4
BEIGE / SILVER / BROWN




2025 FRAGRANT FIELD II 5
GREEN / BLUE / BEIGE



2025 FRAGRANT FIELD II 6
GREY / BEIGE / BROWN



2025 FRAGRANT FIELD II 7
BLACK / GREY / WHITE




2025 FRAGRANT FIELD II 8
BEIGE / GOLD / BROWN



2025 FRAGRANT FIELD II 9
GREY / BEIGE / BROWN




2025 FRAGRANT FIELD II 10
GREY / BLACK / BROWN



2025 FRAGRANT FIELD II 11
RED / BLACK / BROWN



2025 FRAGRANT FIELD II 12
BLACK / BLUE / WHITE



2025 FRAGRANT FIELD II 13
GOLD / BLACK / GREY



2025 FRAGRANT FIELD II 14
GREEN / BLUE / PURPLE




2025 FRAGRANT FIELD II 15
BLACK / GREY / ORANGE



2025 FRAGRANT FIELD II 16
SILVER / GREY / BROWN



2025 FRAGRANT FIELD II 17
GREEN / BLACK / BROWN





PT-MO3006

1-10

Applied Color
PT-MO3006

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days


Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.

1-10


10 COLORWAYS



SP-FC1006



SP-GT1002



SP-SM5008




F-MO5009




F-VT3009




PT-MO3006



SP-SM5003



F-SR8002



SP-NL6003



SP-GT5002



F-AF8005

11-20

Applied Color
F-AF8005

Composition
Non-woven printed wallpaper

Width
68.5 cm / 27 inches

Length
9.14 m / 10 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



11-20
10 COLORWAYS



F-AF5005



F-AF8005



SP-IG1003



SP-GT3002



F-FR3001




SP-GT4003




PT-MO4009



PT-MO5005



F-PY5007



F-PY5003



21-30

Applied Color
PT-RA2005

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury,
cadmium, lead, chromium in composition and
production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by
professional paper installers. Installation
advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample
material and finished product. Stock cuttings
are available for approval.

PT-RA2005



F-AF8006

21-30
10 COLORWAYS




PT-RA2005



F-MO2003




PT-TE1005



SP-SC3004



F-AF8006




SP-NL6008



PT-MO4008



F-VT6006



F-PY5004



PT-MO4003



PT-MO1003

31-40

Applied Color
PT-MO1003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.

31-40
10 COLORWAYS



F-PL3005



F-MO3003




F-MO2002




PT-MO1003




PT-MO1004




F-PL3001



SP-SC4006



SP-PO6006



F-SR8001



SP-SC4002



SP-FC1005

41-50

Applied Color
SP-FC1005

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


41-50
10 COLORWAYS




F-IN4003



SP-FC1005



PT-RA2004




SP-GT4004




PT-MO3005




PT-TE1002




SP-GT8008



SP-SC4005



PT-VE8502



F-SU6001



F-VT2004

51-60

Applied Color
F-VT2004

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton


Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



51-60
10 COLORWAYS



F-VT2004



PT-TE2004




SP-GT6003




F-MO5008




F-FV1001



SP-PO6004



F-SU6004



SP-NA6004



F-VT3001



PT-VE8504



PT-TE1007

61-70

Applied Color
PT-TE1007

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



PT-RA2003

61-70
10 COLORWAYS



F-PL2003



PT-TE1007



PT-RA2003



PT-MO3003



SP-AR7002




SP-AR7002




PT-VE8612




SP-AR7002



SP-SM5002



PT-MO5004



71-80

Applied Color
F-PL3008

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton


Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



F-PL3008



71-80
10 COLORWAYS




SP-GT6004




F-PL3008



F-SU4002




F-PL2004




F-MO4003



PT-MO3004




PT-MO5007



SP-NA6004



F-VT3003



SP-GT6001



F-VT1004

81-90

Applied Color
F-VT1004

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


81-90
10 COLORWAYS



F-VT1004



F-AF5001




PT-RA2001



SP-FC1001



SP-GT4002



SP-NL6010




PT-MO4005



PT-MO4002



SP-AR7007



SP-GT4001



PT-TE2001

91-100

Applied Color
PT-TE2001

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury,
cadmium, lead, chromium in composition and
production


Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days


Installation
Precision trimmed for butt-joining by
professional paper installers. Installation
advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample
material and finished product. Stock cuttings
are available for approval.



91-100
10 COLORWAYS



PT-TE2001



F-MO5007



PT-TE1006



F-MO2005



SP-NA4003



F-VT2001




F-VT3010



SP-PO6007



PT-VE8610



F-PY5005



F-MO1005

101-110

Applied Color
F-MO1005

Composition
Non-woven printed wallpaper

Width
68 cm / 27 inches

Length
9 m / 10 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.




SP-SC4003

101-110

10 COLORWAYS



F-MO1005




F-AF8007




PT-TE1003




F-MO3001




SP-SC4003




PT-MO4010




SP-SM5006



F-VT6008



F-PY5001



SP-NA6001



SP-GT5003

111-120

Applied Color
SP-GT5003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury,
cadmium, lead, chromium in composition and
production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by
professional paper installers. Installation
advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample
material and finished product. Stock cuttings
are available for approval.



F-AF5003

111-120
10 COLORWAYS



SP-GT5006




F-AF5003



F-VT1005



F-AF8004



SP-NA6008




SP-GT5003




SP-GT2001



SP-NL6002



PT-MO5003



SP-GT6001



SP-GT3003

121-130

Applied Color
SP-GT3003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton


Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



PT-TE2002

121-130


10 COLORWAYS



PT-TE2002




SP-GT2004



SP-GT4006



SP-AR7010




SP-NA4002




SP-AR7005




SP-GT3003



PT-MO1006



F-VT3008



SP-NL6006



131-140

Applied Color
F-FV1003

Composition
Non-woven printed wallpaper

Width
68 cm / 27 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


F-FV1003



131-140
10 COLORWAYS



PT-MO1005



F-PL3006



F-MO2001




F-FV1003



F-FV3005



PT-MO3001



SP-GT8007



SP-NL6009



SP-NL6007



SP-SC4004



SP-AR7009

141-149

Applied Color
SP-AR7009

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury,
cadmium, lead, chromium in composition and
production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days


Installation
Precision trimmed for butt-joining by
professional paper installers. Installation
advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample
material and finished product. Stock cuttings
are available for approval.




141-149
9 COLORWAYS



F-MO2006




F-AF5002




SP-GT6004



SP-AR7009




PT-TE1004




F-PL3002



SP-NA4001



SP-SC4001



SP-PO6001



CONTACT US FOR SAMPLES!

For latest update:
www.yorklon.en.alibaba.com
www.yorklonltd.com