

2025 FRAGRANT FIELD Ⅱ CATALOG
0.53 NON-WOVEN / VINYL WALLPAPER

RESIDENCE I COMMERCIAL I RETAIL

"Simplicity is the ultimate sophistication," observed Leonardo da Vinci. In this second volume of FRAGRANT FIELD, we reimagine the essence of a blooming field through the lens of modern design. Here, the organic forms of petals, leaves, and stems are deconstructed into a dynamic language of clean lines, bold shapes, and rhythmic patterns. It is not a literal portrait of nature, but an evocative abstraction—a celebration of its underlying order and vibrant energy.

Our forward-looking designs are grounded in responsible production. True to our eco-friendly commitment, all inks used in this collection are formulated without heavy metals such as mercury, cadmium, lead, and chromium. The modern beauty we create is as clean and safe for your home as it is bold.



2025 FRAGRANT FIELD Ⅱ 1

RED / BLACK / BROWN



2025 FRAGRANT FIELD Ⅱ 2

BEIGE / GREY / BROWN



2025 FRAGRANT FIELD Ⅱ 3
PURPLE / BEIGE / PINK



2025 FRAGRANT FIELD Ⅱ 4
BEIGE / SILVER / BROWN



2025 FRAGRANT FIELD Ⅱ 5
GREEN / BLUE / BEIGE



2025 FRAGRANT FIELD Ⅱ 6
GREY / BEIGE / BROWN



2025 FRAGRANT FIELD Ⅱ 7
BLACK / GREY / WHITE



2025 FRAGRANT FIELD Ⅱ 8
BEIGE / GOLD / BROWN



2025 FRAGRANT FIELD Ⅱ 9
GREY / BEIGE / BROWN



2025 FRAGRANT FIELD Ⅱ 10
GREY / BLACK / BROWN



2025 FRAGRANT FIELD Ⅱ 11
RED / BLACK / BROWN



2025 FRAGRANT FIELD Ⅱ 12
BLACK / BLUE / WHITE



2025 FRAGRANT FIELD Ⅱ 13
GOLD / BLACK / GREY



2025 FRAGRANT FIELD Ⅱ 14
GREEN / BLUE / PURPLE



2025 FRAGRANT FIELD Ⅱ 15
BLACK / GREY / ORANGE



2025 FRAGRANT FIELD Ⅱ 16
SILVER / GREY / BROWN



2025 FRAGRANT FIELD Ⅱ 17
GREEN / BLACK / BROWN





1-10

Applied Color
PT-MO3006

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.

1-10
10 COLORWAYS



SP-FC1006



SP-GT1002



SP-SM5008



F-MO5009



F-VT3009



PT-MO3006



SP-SM5003



F-SR8002



SP-NL6003



SP-GT5002



11-20

Applied Color
F-AF8005

Composition
Non-woven printed wallpaper

Width
68.5 cm / 27 inches

Length
9.14 m / 10 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


SP-IG1003

11-20
10 COLORWAYS



F-AF5005



F-AF8005



SP-IG1003



SP-GT3002



F-FR3001



SP-GT4003



PT-MO4009



PT-MO5005



F-PY5007



F-PY5003



21-30

Applied Color
PT-RA2005

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



F-AF8006

21-30
10 COLORWAYS



PT-RA2005



F-MO2003



PT-TE1005



SP-SC3004



F-AF8006



SP-NL6008



PT-MO4008



F-VT6006



F-PY5004



PT-MO4003



31-40

Applied Color
PT-MO1003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.

31-40
10 COLORWAYS



F-PL3005



F-MO3003



F-MO2002



PT-MO1003



PT-MO1004



F-PL3001



SP-SC4006



SP-PO6006



F-SR8001



SP-SC4002



41-50

Applied Color
SP-FC1005

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.

41-50
10 COLORWAYS



F-IN4003



SP-FC1005



PT-RA2004



SP-GT4004



PT-MO3005



PT-TE1002



SP-GT8008



SP-SC4005

PT-VE8502

F-SU6001



51-60

Applied Color
F-VT2004

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



F-FV1001



SP-GT6003

51-60
10 COLORWAYS



F-VT2004



PT-TE2004



SP-GT6003



F-MO5008



F-FV1001



SP-PO6004



F-SU6004



SP-NA6004



F-VT3001



PT-VE8504



61-70

Applied Color
PT-TE1007

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


PT-RA2003

61-70
10 COLORWAYS



F-PL2003



PT-TE1007



PT-RA2003



PT-MO3003



SP-AR7002



SP-AR7002



PT-VE8612



SP-AR7002



SP-SM5002



PT-MO5004



71-80

Applied Color
F-PL3008

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



F-PL2004



SP-GT6004

71-80
10 COLORWAYS



SP-GT6004



F-PL3008



F-SU4002



F-PL2004



F-MO4003



PT-MO3004



PT-MO5007



SP-NA6004



F-VT3003

SP-GT6001



81-90

Applied Color
F-VT1004

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.

81-90
10 COLORWAYS



F-VT1004



F-AF5001



PT-RA2001



SP-FC1001



SP-GT4002



SP-NL6010



PT-MO4005



PT-MO4002



SP-AR7007

SP-GT4001



91-100

Applied Color
PT-TE2001

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


F-VT2001


F-VT3010


F-MO5007

91-100
10 COLORWAYS



PT-TE2001



F-MO5007



PT-TE1006



F-MO2005



SP-NA4003



F-VT2001



F-VT3010



SP-PO6007



PT-VE8610



F-PY5005



F-MO1005

101-110

Applied Color
F-MO1005

Composition
Non-woven printed wallpaper

Width
68 cm / 27 inches

Length
9 m / 10 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


SP-SC4003

101-110
10 COLORWAYS



F-MO1005



F-AF8007



PT-TE1003



F-MO3001



SP-SC4003



PT-MO4010



SP-SM5006



F-VT6008

F-PY5001

SP-NA6001



111-120

Applied Color
SP-GT5003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



F-AF5003

111-120
10 COLORWAYS



SP-GT5006



F-AF5003



F-VT1005



F-AF8004



SP-NA6008



SP-GT5003



SP-GT2001



SP-NL6002



PT-MO5003

SP-GT6001



121-130

Applied Color
SP-GT3003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


PT-TE2002

121-130
10 COLORWAYS



PT-TE2002



SP-GT2004



SP-GT4006



SP-AR7010



SP-NA4002



SP-AR7005



SP-GT3003



PT-MO1006



F-VT3008



SP-NL6006



131-140

Applied Color
F-FV1003

Composition
Non-woven printed wallpaper

Width
68 cm / 27 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


SP-GT3007


SP-NL6007


E-FV3005

131-140
10 COLORWAYS



PT-MO1005



F-PL3006



F-MO2001



F-FV1003



F-FV3005



PT-MO3001



SP-GT8007



SP-NL6009



SP-NL6007



SP-SC4004



141-149

Applied Color
SP-AR7009

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



SP-SC4001



F-MO2006

141-149
9 COLORWAYS



F-MO2006



F-AF5002



SP-GT6004



SP-AR7009



PT-TE1004



F-PL3002



SP-NA4001

SP-SC4001

SP-PO6001



CONTACT US FOR SAMPLES!

For latest update:
www.yorklonltd.com