

2025 FRAGRANT FIELD I CATALOG

0.53 NON-WOVEN / VINYL WALLPAPER

RESIDENCE I COMMERCIAL I RETAIL

VILLA LANTE CATALOG

There is a line from Wordsworth that whispers to us still: "And then my heart with pleasure fills, And dances with the daffodils." It is this pure, pastoral joy that we seek to capture in the FRAGRANT FIELD collection. We invite you to wander through an idyllic landscape where sun-dappled florals cascade and wild grasses sway, turning your wall into a perpetual springtime.

This celebration of nature is rooted in responsibility. In creating FRAGRANT FIELD, we adhere to strict eco-friendly norms, ensuring all inks are free from heavy metals like mercury, cadmium, lead, and chromium. The beauty we bring into your home is as pure and safe as the field it evokes.




2025 FRAGRANT FIELD I 1
GREEN / BLACK / BROWN



2025 FRAGRANT FIELD I 2
BLACK / WHITE / BROWN



2025 FRAGRANT FIELD I 3
BEIGE / GOLD / BROWN



2025 FRAGRANT FIELD I 4
BLACK / GOLD / GREY



2025 FRAGRANT FIELD I 5
BLACK / BROWN / BROWN



2025 FRAGRANT FIELD I 6
RED / BLUE / GREY



2025 FRAGRANT FIELD I 7
RED / GREEN / BROWN



2025 FRAGRANT FIELD I 8
BLACK / BEIGE / BROWN



2025 FRAGRANT FIELD I 9
BLACK / BLUE / WHITE



2025 FRAGRANT FIELD I 10
BLACK / BEIGE / BROWN



2025 FRAGRANT FIELD I 11
RED / BLUE / GREY



2025 FRAGRANT FIELD I 12
BEIGE / BLACK / BROWN



2025 FRAGRANT FIELD I 13
RED / BLACK / BROWN



2025 FRAGRANT FIELD I 14
GREEN / BLUE / BLACK



2025 FRAGRANT FIELD I 15
GREY / BLUE / BEIGE



2025 FRAGRANT FIELD I 16
WHITE / BLACK / BROWN





F-OR1001

1-10

Applied Color
F-OR1001

Composition
Non-woven printed wallpaper

Width
68 cm / 27 inches

Length
9.14 m / 10 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production


Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



1-10


10 COLORWAYS



F-OR1001



F-OR1003



SP-JA2001




PT-RA1007




F-VT7006



F-FG2005



SP-MT6007



SP-LS6007



F-FR5006



PT-MO2004



SP-JA1003

11-20

Applied Color
SP-JA1003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 11 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



11-20
10 COLORWAYS



SP-JA1003




SP-WG3003




SP-SC1005



SP-LS4002



SP-DG7003



SP-DG7005



F-SU7004



F-VT7004



F-VT5008



SP-LS5004



21-30

Applied Color
SP-NA2003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 11 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.

SP-NA2003



21-30
10 COLORWAYS



SP-JA2005



SP-NA2003



SP-MT6005




F-VT4007



SP-WG5002



SP-IG7009



F-SU7005



F-HM6001GB



F-SR6001



F-AF9006



PT-FL1003

31-40

Applied Color
PT-FL1003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 11 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.





31-40
10 COLORWAYS



PT-FL1003



PT-TD1003



F-DJ2002



SP-SF7006



F-FG2001



SP-MT5006




SP-PO8009



F-FG6007



F-SY5003



SP-MT5004



SP-JA1004

41-50

Applied Color
SP-JA1004

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



41-50
10 COLORWAYS



SP-JA1004



PT-TD1001



PT-TS1003



F-MI3001



F-SY5005




F-GA3003




F-VT7005



F-VT5004



SP-DG7007



SP-SC6006



51-60

Applied Color
F-DJ2001

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.

F-DJ2001




51-60
10 COLORWAYS



F-DJ2001



SP-GT3001



PT-RA1005




SP-LS3003



F-VT7001



SP-LS5011




F-VT5009



F-PY6007



F-SR6001



SP-NA3004



F-VT4008

61-70

Applied Color
F-VT4008

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production


Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton


Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



61-70
10 COLORWAYS



F-FR4005



F-SU5003



F-GA3011



SP-JA2003



SP-SF6003



F-GA4002




SP-WG4002



F-SY5002



F-VT4008




F-MY7012

71-80
10 COLORWAYS



SP-NA2006




PT-RA1006




SP-SM3002




SP-MT5008



PT-RA1004




F-SU7012




SP-WG4003



SP-MT6004



SP-PO8002



PT-RA1001



F-SR5002

81-90

Applied Color
F-SR5002

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury,
cadmium, lead, chromium in composition and
production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by
professional paper installers. Installation
advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample
material and finished product. Stock cuttings
are available for approval.




F-FV6007



F-FV5002

81-90
10 COLORWAYS




F-PY3001



SP-GT3001



F-SR5002



F-PY4003



F-FV5002




PT-MO2002



F-SR7003



F-SU7001



F-FV6007



F-MO6009



PT-FL1004

101-111

Applied Color
PT-FL1004

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury,
cadmium, lead, chromium in composition and
production


Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by
professional paper installers. Installation
advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample
material and finished product. Stock cuttings
are available for approval.



101-110

10 COLORWAYS



PT-FL1004



F-PY4004



SP-JA1001



F-FG6005




SP-SA3001




SP-P08006




F-VT4010



SP-P08003



SP-SC6003



F-PY6002



F-MI2003

111-120

Applied Color
F-MI2003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.

111-120

10 COLORWAYS



F-MI2003



F-AF6004



PT-TS2003




F-FV5001




PT-TD2001



F-AF9007



F-MY7008



SP-MT6006



SP-LS5003



F-PY6003



121-130

Applied Color
SP-JA2004

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury,
cadmium, lead, chromium in composition and
production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by
professional paper installers. Installation
advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample
material and finished product. Stock cuttings
are available for approval.

121-130


10 COLORWAYS



SP-JA2004



SP-SC1003



PT-RA1003




PT-TD2003



PT-MO2003



F-IN7007



F-VT5005



SP-SF6002



F-FV6006



F-VT5001



SP-SC1004

131-140

Applied Color
SP-SC1004

Composition
Vinyl coating on paper backing wallpaper

Width
68.5 cm / 27 inches

Length
10 m / 10.9 yards

Weight
350 gsm
1.85 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days


Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



131-140
10 COLORWAYS



SP-NA3005



SP-SC1004




PT-TD1005




F-DJ2003



PT-TS2004




SP-WG4007




F-VE6007



SP-IG7001



SP-DG7004



SP-SC5001



PT-TD1006

141-150

Applied Color
PT-TD1006

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.


Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.




PT-RA1006

141-150
10 COLORWAYS



PT-TD1006




PT-RA1006




SP-SM3002




SP-MT5008



PT-RA1004




F-SU7012




SP-WG4003



SP-MT6004



SP-PO8002



PT-RA1001

151-159
9 COLORWAYS



PT-TS2006



F-PY4002



PT-FL1001



SP-NA3002



SP-P08008



SP-P08007



SP-MT6010



SP-SF6006



SP-AR7001



CONTACT US FOR SAMPLES!

For latest update:
www.yorklon.en.alibaba.com
www.yorklonltd.com