

2025 FRAGRANT FIELD I CATALOG
0.53 NON-WOVEN / VINYL WALLPAPER

RESIDENCE I COMMERCIAL I RETAIL

There is a line from Wordsworth that whispers to us still: "And then my heart with pleasure fills, And dances with the daffodils." It is this pure, pastoral joy that we seek to capture in the FRAGRANT FIELD collection. We invite you to wander through an idyllic landscape where sun-dappled florals cascade and wild grasses sway, turning your wall into a perpetual springtime.

This celebration of nature is rooted in responsibility. In creating FRAGRANT FIELD, we adhere to strict eco-friendly norms, ensuring all inks are free from heavy metals like mercury, cadmium, lead, and chromium. The beauty we bring into your home is as pure and safe as the field it evokes.



2025 FRAGRANT FIELD I 1
GREEN / BLACK / BROWN




2025 FRAGRANT FIELD I 2

BLACK / WHITE / BROWN



2025 FRAGRANT FIELD I 3

BEIGE / GOLD / BROWN



2025 FRAGRANT FIELD I 4
BLACK / GOLD / GREY



2025 FRAGRANT FIELD I 5

BLACK / BROWN / BROWN



2025 FRAGRANT FIELD I 6

RED / BLUE / GREY



2025 FRAGRANT FIELD I 7

RED / GREEN / BROWN



2025 FRAGRANT FIELD I 8

BLACK / BEIGE / BROWN



2025 FRAGRANT FIELD I 9
BLACK / BLUE / WHITE



2025 FRAGRANT FIELD I 10

BLACK / BEIGE / BROWN



2025 FRAGRANT FIELD I 11

RED / BLUE / GREY



2025 FRAGRANT FIELD I 12

BEIGE / BLACK / BROWN



2025 FRAGRANT FIELD I 13
RED / BLACK / BROWN



2025 FRAGRANT FIELD I 14

GREEN / BLUE / BLACK



2025 FRAGRANT FIELD I 15

GREY / BLUE / BEIGE



2025 FRAGRANT FIELD I 16
WHITE / BLACK / BROWN





1-10

Applied Color
F-OR1001

Composition
Non-woven printed wallpaper

Width
68 cm / 27 inches

Length
9.14 m / 10 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance


Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


F-OR1003


SP-JA2001


F-VT7006


1-10
10 COLORWAYS



F-OR1001



F-OR1003



SP-JA2001




PT-RA1007




F-VT7006



F-FG2005




SP-MT6007



SP-LS6007



F-FR5006



PT-MO2004



11-20

Applied Color
SP-JA1003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 11 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


SP-WG3003


SP-SC1005


SP-JA1003

11-20
10 COLORWAYS



SP-JA1003




SP-WG3003



SP-SC1005




SP-LS4002



SP-DG7003

SP-DG7005



F-SU7004



F-VT7004



F-VT5008



SP-LS5004



21-30

Applied Color
SP-NA2003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 11 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


SP-JA2005

21-30
10 COLORWAYS



SP-JA2005



SP-NA2003




SP-MT6005




F-VT4007




SP-WG5002



SP-IG7009



F-SU7005



F-HM6001GB



F-SR6001



F-AF9006



31-40

Applied Color
PT-FL1003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 11 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.




PT-TD1003



F-DJ2002



F-SY5003



SP-MT5004

31-40
10 COLORWAYS



PT-FL1003



PT-TD1003



F-DJ2002



SP-SF7006



F-FG2001



SP-MT5006




SP-PO8009



F-FG6007



F-SY5003



SP-MT5004



41-50

Applied Color
SP-JA1004

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



PT-TD1001



F-MI3001

41-50
10 COLORWAYS



SP-JA1004



PT-TD1001



PT-TS1003

F-MI3001



F-SY5005


F-GA3003



F-VT7005



F-VT5004



SP-DG7007



SP-SC6006



51-60

Applied Color
F-DJ2001

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



PT-RA1005




F-VT5009

51-60
10 COLORWAYS



F-DJ2001

SP-GT3001



PT-RA1005




SP-LS3003



F-VT7001



SP-LS5011



F-VT5009



F-PY6007



F-SR6001

SP-NA3004



F-VT4008

61-70

Applied Color
F-VT4008

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days


Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


F-FR4005



F-GA4002


F-GA3011


61-70
10 COLORWAYS



F-FR4005



F-SU5003



F-GA3011




SP-JA2003



SP-SF6003



F-GA4002




SP-WG4002



F-SY5002



F-VT4008




F-MY7012

71-80
10 COLORWAYS



SP-NA2006




PT-RA1006




SP-SM3002




SP-MT5008



PT-RA1004




F-SU7012



SP-WG4003



SP-MT6004



SP-PO8002

PT-RA1001



81-90

Applied Color
F-SR5002

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.




F-FV6007



F-FV5002

81-90
10 COLORWAYS




F-PY3001



SP-GT3001



F-SR5002



F-PY4003




F-FV5002




PT-MO2002



F-SR7003



F-SU7001



F-FV6007



F-MO6009



101-111

Applied Color
PT-FL1004

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production


Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



F-PY4004



SP-JA1001

101-110
10 COLORWAYS



PT-FL1004



F-PY4004



SP-JA1001



F-FG6005


SP-SA3001




SP-PO8006




F-VT4010



SP-PO8003



SP-SC6003



F-PY6002



111-120

Applied Color
F-MI2003

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.

111-120
10 COLORWAYS



F-MI2003



F-AF6004



PT-TS2003




F-FV5001




PT-TD2001



F-AF9007



F-MY7008



SP-MT6006



SP-LS5003



F-PY6003



121-130

Applied Color
SP-JA2004

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


121-130
10 COLORWAYS



SP-JA2004



SP-SC1003



PT-RA1003



PT-TD2003




PT-MO2003



F-IN7007



F-VT5005



SP-SF6002



F-FV6006



F-VT5001



131-140

Applied Color
SP-SC1004

Composition
Vinyl coating on paper backing wallpaper

Width
68.5 cm / 27 inches

Length
10 m / 10.9 yards

Weight
350 gsm
1.85 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days

Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton

Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.



SP-NA3005



F-DJ2003


131-140
10 COLORWAYS



SP-NA3005



SP-SC1004




PT-TD1005




F-DJ2003



PT-TS2004



SP-WG4007



F-VE6007



SP-IG7001

SP-DG7004

SP-SC5001



141-150

Applied Color
PT-TD1006

Composition
Non-woven printed wallpaper

Width
53 cm / 20.9 inches

Length
10 m / 10.9 yards

Weight
180 gsm
1.5 kg / roll

Performance
Composition safety:
GB 18585-2001 compliance, free of mercury, cadmium, lead, chromium in composition and production

Physical performance:
QB/T 4034-2010 compliance

Lead Time
Sample: 1 day to send (A4 paper size free)
In-stock quantity: 2 days
Non-stock production: 15 days


Installation
Precision trimmed for butt-joining by professional paper installers. Installation advice supplied with every roll.

Packing
Sold by full roll, 16 rolls in a carton


Variation
There can be a variation between sample material and finished product. Stock cuttings are available for approval.


PT-RA1006

141-150
10 COLORWAYS



PT-TD1006




PT-RA1006




SP-SM3002




SP-MT5008



PT-RA1004




F-SU7012



SP-WG4003



SP-MT6004



SP-PO8002

PT-RA1001

151-159
9 COLORWAYS



PT-TS2006



F-PY4002



PT-FL1001



SP-NA3002



SP-PO8008



SP-PO8007



SP-MT6010



SP-SF6006

SP-AR7001



CONTACT US FOR SAMPLES!

For latest update:
www.yorklonltd.com